

NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay


November and Autumn (Sep/Oct/Nov) 2018 Climate Summary

November 2018 ended up above normal at most locations and if not for few cool downs, especially the one near the end of the month, we would have had a record warm November at some sites.

NOVEMBER TEMPERATURE (°F):

	Nov 201	8	Normal Nov	Dep fm	Records
Location	Rank Ave	g Temp	Temperature	Normal	Began
Winter Haven Area	10th(tie)		69.0°	+2.9°	1941
Plant City	10th	71.2°	68.2°	+3.0°	1892
Sarasota-Bradenton Area	11th(tie)	71.8°	69.2°	+2.6°	1911
Archbold Bio Stn	12th	70.4°	68.1°	+2.3°	1969
Venice	13th(tie)	71.2°	69.3°	+1.9°	1955
Myakka River St Pk	13th	70.7°	69.1°	+1.6°	1956
Chiefland 5 ESE	13th(tie)	65.4°	62.8°	+2.7°	1956
Lakeland Area	14th(tie)	70.8°	68.2°	+2.6°	1915
Fort Myers-Page Field	17th	73.1°	71.7°	+1.4°	1902
Tampa Area	19th(tie)	70.7°	69.1°	+1.6°	1890
Wauchula 2 N	20th(tie)	70.1°	69.5°	+0.6°	1933
St Petersburg Area	21st(tie)	71.5°	70.1°	+1.4°	1914
Arcadia	21st	70.4°	68.1°	+2.3°	1899
Punta Gorda Area	23rd	71.5°	69.9°	+1.6°	1914
Bartow	25th(tie)	70.0°	69.2°	+0.8°	1892
Tarpon Springs	29th(tie)	69.4°	67.8°	+1.6°	1892
St Leo	32nd(tie)	68.2°	68.6°	-0.4°	1895
Inverness 3 SE	35th(tie)	64.9°	65.3°	-0.4°	1948
Brooksville Area	50th(tie)	66.7°	65.0°	+1.7°	1892


Temperature (F) 11/1/2018 - 11/30/2018



Avg Temperature Nov 2018

Contact: Paul Close, Paul.Close@noaa.gov

Departure from Normal Temperature (F) 11/1/2018 - 11/30/2018




Departure IIOM NOIMAI

Date: 12/03/2018


As for Autumn 2018 (Sep/Oct/Nov), it ended up being one of the warmest on record at a couple of sites, with most others still in the Top Ten.

AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) TEMPERATURE (°F):

Location		n 2018 Avg Temp	Normal Autumn Temperature	Dep fm Normal	Records Began
LOCACION	Naiik A	Avg Temp	remperature	NOTILIAL	Degan
Winter Haven Area	1st	79.1°	75.4°	+3.7°	1941
Plant City	1st	78.4°	74.5°	+3.9°	1892
Chiefland 5 ESE	1st	75.2°	70.4°	+4.8°	1956
Tampa Area	2nd	78.9°	75.7°	+3.2°	1890
Myakka River St Pk	3rd	78.0°	75.3°	+2.7°	1956
Bartow	3rd	77.1°	75.5°	+1.6°	1892
Archbold Bio Stn	3rd	76.6°	74.1°	+2.5°	1969
Punta Gorda Area	4th(tie)) 78.7°	76.2°	+2.5°	1914
Lakeland Area	4th	78.0°	74.5°	+3.5°	1915
Sarasota-Bradenton Area	4th	77.8°	75.6°	+2.2°	1911
Venice	4th(tie)) 77.8°	75.3°	+2.5°	1955
Tarpon Springs	4th	77.6°	74.2°	+3.4°	1892
St Petersburg Area	5th	79.0°	76.5°	+2.5°	1914
Fort Myers-Page Field	6th(tie)) 78.5°	77.3°	+1.2°	1902
Arcadia	6th	76.9°	74.4°	+2.5°	1899
Wauchula 2 N	6th	76.9°	76.1°	+0.8°	1933
St Leo	9th(tie)) 75.8°	75.0°	+0.8°	1895
Brooksville Area	9th(tie)) 75.2°	72.4°	+2.8°	1892
Inverness 3 SE	13th	73.7°	72.6°	+1.1°	1948



Looking at rainfall, most days in November 2018 were dry, which is pretty typical, with rainfall amounts for the month rather variable from as little as a half inch to over 5 inches. For autumn much of the area had below normal rainfall with amounts ranging from just under 6 inches to over 12 inches.



On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total for this November and Autumn, and the 1981-2010 Normal (average) temperature and rainfall for November and Autumn.

CHIEFLAND 5 SE (records began in June 1956):

War	mest Novembers	Cool	est Novembers	Wet	test Novembers	Driest Novembers
1	69.4 in 1985	1	56.6 in 1976	1	7.52 in 1972	1 Trace in 1978
2	69.2 in 1998	2	56.7 in 2008	2	6.47 in 1997	2 0.15 in 2012
3	68.9 in 1986	3	57.3 in 1970	3	6.02 in 1987	3 0.25 in 2016
4	68.6 in 1994	4	58.2 in 1962	4	5.94 in 2002	4 0.33 in 1956
5	67.5 in 1982	5	58.3 in 1968	5	5.25 in 1958	5 0.35 in 1970
6	66.9 in 1973	6	59.2 in 1969	6	4.95 in 1983	6 0.48 in 1998
7	66.5 in 1958	7	59.4 in 2014	7	4.80 in 1963	7 0.61 in 1990
8	66.3 in 1978	8	59.7 in 1984	8	4.73 in 2013	8 0.62 in 1991
9	66.1 in 2003	9	59.8 in 1963	9	4.55 in 1981	9 0.66 in 2001
10	65.9 in 1992	10	60.0 in 2012	10	4.50 in 1986	10 0.82 in 1993
11	65.8 in 1957		60.0 in 1983			• • •
12	65.6 in 2013			33	1.85 in 2018	29 1.85 in 2018
13	65.4 in 2018					
	in 2017					
	in 2001					

Normal Temperature for November at CHIF1 = 62.8° Normal Rainfall for November at CHIF1 = 2.65 inches

Warmest Autumns		Cool	est Autumns	Wettest	Autumns	Driest Autumns			
1	75.2 in 2018	1	67.1 in 1976	6 1 26.5	52 in 2004	1	2.05 i	n 1978	
2	74.9 in 1998	2	67.9 in 2008	2 24.2	26 in 1983	2	3.83 i	n 2008	
3	74.2 in 1986	3	68.7 in 2000	3 20.5	54 in 1964	3	4.20 i	n 1961	
4	73.9 in 1985	4	68.8 in 1968	4 18.6	65 in 1959	4	5.13 i	n 2010	
5	73.7 in 1959	5	68.9 in 2000	5 17.5	59 in 1985	5	5.37 i	n 1970	
6	73.0 in 1973	6	69.1 in 1963	6 16.9	94 in 1998	6	5.38 i	n 2003	
7	72.9 in 2016	7	69.1 in 1969	7 16.3	38 in 1997	7	6.24 i	n 1991	
8	72.6 in 1994	8	69.3 in 1956	8 15.9	91 in 1960	8	6.61 i	n 1974	
9	72.5 in 1978	9	69.3 in 1962	9 15.0	67 in 2002	9	6.65 i	n 2005	
	72.5 in 1960	10	69.6 in 2010	10 15.2	26 in 2017	10	6.67 i	n 1968	
						11	6.73 i	n 1999	
						12	6.91 i	n 2018	

Normal Temperature for Autumn at CHIF1 = 70.4° Normal Rainfall for Autumn at CHIF1 = 12.64 inches

INVERNESS 3 SE (records began in July 1948):

Warı	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	73.1 in 2015	1 59.0 in 1991	1 7.73 in 1980	1 0.00 in 2004
2	70.3 in 1958	2 59.5 in 1976	2 6.40 in 1997	2 0.00 in 1978
3	69.3 in 1964	3 60.3 in 2002	3 6.21 in 1972	3 0.01 in 2016
	69.3 in 1978	4 60.5 in 2014	4 5.48 in 1951	4 0.02 in 1950
5	68.8 in 1957	5 60.6 in 1997	5 4.90 in 2015	5 0.07 in 2012
6	68.6 in 1998	6 61.0 in 1950	6 4.78 in 2014	6 0.23 in 1993
7	68.5 in 1973	7 61.3 in 2012	7 4.69 in 1988	7 0.25 in 1967
	68.5 in 1960	8 61.4 in 1995	8 3.77 in 2005	8 0.28 in 1956
9	68.4 in 2003	9 61.6 in 2000	9 3.70 in 2017	9 0.36 in 2001
10	67.8 in 1961	10 61.7 in 1949	10 3.46 in 1953	10 0.38 in 1966
35	64.9 in 2018	26 64.9 in 2018	29 1.79 in 2018	41 1.79 in 2018
	in 2016	in 2016		
	in 1993	in 1993		

Normal Temperature for November at $INVF1 = 65.3^{\circ}$ Normal Rainfall for November at INVF1 = 1.81 inches

War	mest Autum	mns Co	olest Au	tumns	Wet	test Aı	ıtumns	Drie	est Aut	umns
1	76.1 in 2	2015 1	68.4 i	n 1976	1	21.53	in 2017	1	2.08 i	n 1967
2	75.1 in 1	1958 2	69.4 i	n 1997	2	21.34	in 1960	2	2.92 i	n 1978
3	74.9 in 1	1998 3	70.2 i	n 1991	3	21.07	in 1950	3	4.19 i	n 1961
4	74.9 in 1	1960 4	70.4 i	n 2006	4	19.55	in 1992	4	4.56 i	n 1974
	74.9 in 1	1959 5	70.6 i	n 2000	5	19.27	in 1997	5	4.97 i	n 2010
6	74.2 in 1	1948 6	70.7 i	n 1987	6	18.83	in 2004	6	5.13 i	n 2003
7	74.1 in 2	2009 7	70.8 i	n 2014	7	17.75	in 2016	7	5.37 i	n 1954
8	74.1 in 2	2007 8	71.1 i	n 1956	8	17.32	in 2001	8	5.47 i	n 2012
9	73.9 in 2	2013 9	71.3 i	n 2002	9	16.51	in 1988	9	5.85 i	n 2000
	73.9 in 1	1978 10	71.5 i	n 1996	10	16.40	in 1979	10	6.14 i	n 1996
	73.9 in 1	1961								
12	73.8 in 1	1965			44	9.10	in 2018	23	9.10 i	n 2018
13	73.7 in 2	2018								

Normal Temperature for Autumn at INVF1 = 72.6° Normal Rainfall for Autumn at INVF1 = 10.61 inches

BROOKSVILLE AREA (records began in January 1892):

Warı	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	73.2 in 2015	1 57.5 in 1901	1 9.31 in 1916	1 0.00 in 1967
2	72.7 in 1948	2 60.3 in 2008	2 9.17 in 1987	2 Trace in 2016
3	72.6 in 1946	3 60.5 in 1892	3 8.30 in 1951	Trace in 1931
4	71.0 in 1958	4 60.8 in 2014	4 7.08 in 2014	4 0.01 in 1978
5	70.7 in 1994	5 61.1 in 1923	5 6.64 in 1937	5 0.05 in 1928
6	70.5 in 1973	6 61.3 in 2000	6 6.56 in 1980	6 0.12 in 2001
	70.5 in 1896	7 61.4 in 2012	7 6.14 in 1972	7 0.15 in 1913
8	70.1 in 1905	8 61.4 in 1917	8 5.49 in 1932	8 0.18 in 1940
9	69.8 in 1988	9 61.8 in 2002	9 5.14 in 1988	9 0.22 in 1956
	69.8 in 1929	10 61.9 in 1962	5.14 in 1920	0.22 in 1924
				0.22 in 1900
50	66.7 in 2018	62 66.7 in 2018	• • •	
	in 1944	in 1944	61 1.42 in 2018	64 1.42 in 2018
			in 2003	in 2003

Normal Temperature for November at BKV = 65.0° Normal Rainfall for November at BKV = 1.91 inches

War	mest Autumns	Coo	lest Autumns	Wet	test Autumns	Dri	est Autumns
1	76.0 in 1911	1	69.3 in 1892	1	27.84 in 1950	1	2.30 in 1903
2	75.9 in 2015	2	69.5 in 1901	2	24.74 in 1912	2	3.58 in 2008
3	75.7 in 1905	3	70.2 in 1920	3	22.68 in 1894		3.58 in 1978
4	75.4 in 1941	4	70.3 in 2008	4	21.62 in 1947	4	3.87 in 1967
	75.4 in 1919	5	70.4 in 1923	5	21.50 in 1922	5	3.97 in 1909
	75.4 in 1915	6	70.5 in 2000	6	21.46 in 1995	6	4.10 in 2010
7	75.3 in 1946	7	70.8 in 2006	7	21.24 in 1921	7	4.58 in 1940
	75.3 in 1927	8	70.9 in 2014	8	20.56 in 1938	8	4.61 in 1991
9	75.2 in 2018		70.9 in 1894	9	20.36 in 1911	9	5.37 in 2015
	75.2 in 1973	10	71.0 in 1953	10	19.88 in 1988	10	5.61 in 1961
						11	5.81 in 1927
						12	6.00 in 2018

Normal Temperature for Autumn at BKV = 72.4° Normal Rainfall for Autumn at BKV = 11.20 inches

ST LEO (records began in April 1895):

Warı	mest Novembers	Coolest	Novembers	Wett	test Novembers	Drie	st Novembers
1	75.1 in 1986	1 60.8	3 in 1917	1 1	12.48 in 1988	1 T:	race in 1960
2	73.6 in 1985	2 61.3	3 in 1901	2	8.34 in 1951	2 (0.02 in 1978
3	73.2 in 1946	3 61.7	'in 1910	3	7.36 in 1987	3 (0.03 in 1931
4	73.1 in 1948	4 62.2	? in 1930	4	7.21 in 2014	(0.03 in 1928
5	72.0 in 1998	5 62.3	3 in 2014	5	6.22 in 1916	5 (0.06 in 2016
6	71.8 in 2015	6 62.5	in 1923	6	6.12 in 1963	6	0.08 in 2012
	71.8 in 1994	7 62.6	5 in 1970	7	6.06 in 1972	7 (0.21 in 1993
8	71.5 in 1982	8 62.8	3 in 1933	8	5.84 in 1911	8 (0.22 in 1940
9	71.4 in 1958	62.8	3 in 1932	9	5.61 in 1918	9 (0.23 in 1913
10	71.3 in 1978	62.8	3 in 1904	10	4.69 in 1937	10	0.26 in 1945
32	68.2 in 2018	90 68.2	! in 2018	55	1.92 in 2018	70	1.92 in 2018
	in 1999		in 1999				
	in 1941		in 1941				
	in 1929		in 1929				

Normal Temperature for November at STLF1 = 68.6° Normal Rainfall for November at STLF1 = 2.20 inches

War	mest Autum	nns Co	olest A	Autı	ımns	Wet	test A	ıtur	mns	Di	riest A	utur	mns
1	77.9 in 1	.985 1	69.8	in	1917	1	25.80	in	1988		1.52	in	1978
2	77.4 in 1	.986 2	70.1	in	1903	2	25.13	in	1912	4	2 3.19	in	1940
3	76.5 in 1	.998 3	70.2	in	1930	3	24.60	in	1922		3.56	in	2010
4	76.4 in 2	2007 4	70.7	in	1920	4	22.73	in	1953	4	3.81	in	1909
5	76.2 in 1	.946 5	71.0	in	1976	5	21.77	in	1997	1	5 4.14	in	1967
6	76.1 in 2	2009 6	71.0	in	1923	6	21.48	in	1982	(4.76	in	1991
7	76.1 in 1	.941 7	71.1	in	1910	7	21.40	in	1950	-	7 5.09	in	2008
8	75.9 in 2	2004 8	71.4	in	1943	8	21.29	in	1921	8	3 5.11	in	2018
9	75.8 in 2	2 018 9	71.5	in	2014	9	20.71	in	1949	9	5.33	in	1931
	75.8 in 2	2003 10	71.8	in	1922	10	20.35	in	2004	1(5.63	in	1961
			71.8	in	1956								

Normal Temperature for Autumn at STLF1= 75.0° Normal Rainfall for Autumn at STLF1 = 12.02 inches

TARPON SPRINGS (records began in January 1892):

Warı	mest Nove	mbers	Cool	.est 1	love	embers	Wett	test 1	love	embers	Dri	est No	ven	bers
1	75.9 in	1986	1	59.6	in	2004	1	9.13	in	1988	1	0.00	in	2016
2	74.4 in	1985	2	60.0	in	1901	2	8.18	in	1916	2	Trace	in	1939
3	74.3 in	1946	3	61.5	in	1917	3	6.99	in	1997		Trace	in	1931
4	73.5 in	2015	4	61.7	in	1962	4	6.63	in	1992	4	0.02	in	1978
5	72.6 in	1994		61.7	in	1892	5	6.09	in	2014	5	0.06	in	1933
6	72.3 in	1998	6	61.9	in	1910	6	5.80	in	1963	6	0.08	in	1942
7	71.8 in	2003	7	62.5	in	1904	7	5.57	in	1920	7	0.09	in	1940
8	71.6 in	1896	8	62.6	in	2014	8	5.19	in	1955		0.09	in	1928
9	71.4 in	1982		62.6	in	1970	9	5.18	in	1896	9	0.10	in	1930
10	71.3 in	1929	10	63.0	in	1976	10	5.13	in	1919	10	0.13	in	1924
	71.3 in	1919		63.0	in	1912								
							83	0.97	in	2018	42	0.97	in	2018
29	69.4 in	2018	93	69.4	in	2018			in	1957			in	1957
	in	1964			in	1964								
	in	1911			in	1911								

Normal Temperature for November at TRPF1 = 67.8° Normal Rainfall for November at TRPF1 = 2.15 inches

Warr	mest Autumns	Coolest Autumns	Wet	test Autumns	Driest A	utumns
1	78.1 in 1985	1 70.8 in 1917	1	28.87 in 1911	1 1.85	in 2005
2	78.0 in 1986	70.8 in 1892	2	28.34 in 1988	2 3.33	in 1978
3	77.9 in 1919	3 71.4 in 1903	3	24.31 in 2014	3 3.44	in 1967
4	77.6 in 2018	4 71.5 in 1976	4	22.25 in 1997	4 4.62	in 2008
5	76.8 in 1946	5 71.7 in 1967	5	21.71 in 1983	5 4.85	in 2010
6	76.7 in 2015	71.7 in 1901	6	21.70 in 1912	6 4.86	in 1927
	76.7 in 1994	7 71.9 in 1963	7	21.43 in 1975	7 5.57	in 1909
8	76.6 in 1998	71.9 in 1962	8	20.78 in 1995	8 5.74	in 1930
9	76.4 in 1921	71.9 in 1940		20.78 in 1959	9 5.99	in 1981
	76.4 in 1911	71.9 in 1904	10	20.60 in 1971	10 6.37	in 1961
		71.9 in 1899			6.37	in 1933
					• • •	
			68	11.01 in 2018	57 11.01	in 2018
				in 1994		in 1994

Normal Temperature for Autumn at TRPF1 = 74.2° Normal Rainfall for Autumn at TRPF1 = 12.45 inches

TAMPA AREA (records began in April 1890):

War	mest Novembers	Coolest 1	Novembers	Wet	test Nove	mbers Dr	iest Novembers
1	76.3 in 1986	1 61.4	in 1901	1	6.12 in	1963 1	Trace in 1960
2	76.2 in 2015	2 61.9	in 1970	2	5.97 in	1988 2	0.01 in 2016
3	73.7 in 1946	3 62.3	in 1968	3	5.38 in	1954	0.01 in 1978
4	73.6 in 1948	4 62.5	in 1962	4	5.26 in	2014 4	0.04 in 1931
	73.6 in 1985	5 62.8	in 1976	5	4.89 in	1953 5	0.05 in 1928
6	72.7 in 1958	6 62.9	in 1969	6	4.85 in	1925 6	0.08 in 1927
7	72.5 in 1998	62.9	in 1917	7	4.75 in	1941 7	0.10 in 2001
8	72.3 in 1994	8 63.3	in 1910	8	4.36 in	1987	0.10 in 1942
9	72.1 in 2017	9 63.4	in 1923	9	4.34 in	1916 9	0.11 in 2007
10	72.0 in 1896	10 63.7	in 1949	10	3.96 in	1896 10	0.12 in 2017
							0.12 in 1974
19	70.7 in 2018						
	in 1929			89	0.63 in	2018 40	0.63 in 2018
					in	1897	in 1897

Normal Temperature for November at TPA = 69.1° Normal Rainfall for November at TPA = 1.55 inches

Warı	mest Autu	mns	Cool	lest A	utı	umns	Wet	test A	ıtur	mns	Dr	iest Au	ıtur	nns
1	79.0 in	2015	1	71.0	in	1976	1	24.38	in	1894	1	3.19	in	2010
2	78.9 in	2018	2	71.5	in	1891	2	22.83	in	1912	2	3.30	in	1909
3	78.4 in	1986	3	71.6	in	1903	3	20.45	in	1997	3	3.62	in	1961
4	77.9 in	2017	4	71.7	in	1968	4	19.80	in	1922	4	4.06	in	1942
5	77.8 in	1985	5	71.8	in	1917	5	19.62	in	1988	5	4.21	in	1940
6	77.7 in	2016		71.8	in	1901	6	19.07	in	1947	6	4.25	in	1913
7	77.5 in	1919	7	71.9	in	1923	7	18.15	in	1953	7	4.35	in	1974
8	77.2 in	1998	8	72.2	in	1892	8	17.60	in	1890	8	5.07	in	1967
9	77.0 in	2007	9	72.3	in	1962	9	16.58	in	1911	9	5.22	in	1984
10	76.9 in	1990	10	72.4	in	1956	10	16.41	in	1975	10	5.33	in	2003
	76.9 in	1941		72.4	in	1910								
							53	11.25	in	2018	77	11.25	in	2018

Normal Temperature for Autumn at TPA = 75.7° Normal Rainfall for Autumn at TPA = 10.11 inches

ST PETERSBURG (records began in August 1914):

War	mest Novembers	Coolest 1	Novembers	Wet ⁻	test Novembers	Drie	est Novembers
1	77.4 in 1986	1 63.9	in 1917	1	6.94 in 1988	1	0.00 in 1931
2	76.3 in 1985	2 64.3	in 1962	2	6.85 in 1953	2	0.02 in 1960
3	74.9 in 2015	3 64.7	in 1949	3	6.80 in 1987	3	0.03 in 2016
4	74.8 in 1946	4 65.1	in 1976	4	6.04 in 1963		0.03 in 1942
5	74.5 in 1948	5 65.2	in 1995	5	5.71 in 1916	5	0.04 in 2001
6	73.8 in 2005	65.2	in 1951	6	5.63 in 1925	6	0.10 in 1978
7	73.7 in 1978	7 65.3	in 1950	7	5.08 in 1954	7	0.12 in 1974
8	73.5 in 1958	8 65.4	in 1954	8	5.03 in 1968	8	0.14 in 1930
9	72.9 in 1994	9 65.7	in 1956	9	5.02 in 1915	9	0.15 in 1928
	72.9 in 1929	65.7	in 1923	10	4.83 in 1997	10	0.18 in 1946
21	71.5 in 2018	80 71.5	in 2018	55	1.24 in 2018	50	1.24 in 2018
	in 2010		in 2010				
	in 2001		in 2001				
	in 1982		in 1982				
	in 1972		in 1972				

Normal Temperature for November at SPG = 70.1° Normal Rainfall for November at SPG = 1.90 inches

Warmest Autumns		Cooles	Coolest Autumns		test Autumns	Driest Autumns			
1	80.0 in 1985	1 72	.6 in 1917	1	32.75 in 1988	1	2.13 in	n 2010	
2	79.9 in 1986	2 73	.2 in 1956	2	30.04 in 1953	2	4.00 in	n 1990	
3	79.8 in 2005	3 73	.4 in 1952	3	26.31 in 1986	3	4.49 in	n 1967	
4	79.1 in 2015	4 73	.5 in 1954	4	26.30 in 1952	4	4.69 in	n 2008	
5	79.0 in 2018	73	.5 in 1953	5	21.83 in 1997	5	4.84 in	n 1964	
6	78.4 in 2013	6 73	.6 in 1976	6	21.06 in 1922	6	5.01 in	n 1940	
	78.4 in 1941	73	.6 in 1962	7	20.14 in 1954	7	5.52 in	n 1927	
8	78.3 in 2010	73	.6 in 1923	8	19.12 in 1918	8	5.61 in	n 1966	
	78.3 in 1919	9 73	.7 in 1943	9	19.07 in 2001	9	5.73 ir	n 1965	
10	78.0 in 1972	10 73	.9 in 1950	10	18.52 in 1959	10	6.14 in	n 1939	
						11	6.37 in	n 1972	
						12	6.51 in	n 2012	
						13	6.59 in	n 2018	

Normal Temperature for Autumn at SPG = 76.5° Normal Rainfall for Autumn at SPG = 12.44 inches

PLANT CITY (records began in September 1892):

Warmest Nove	mbers Cool	lest Nove	embers	Wett	test N	Novembers	Drie	est Nov	vembers
1 75.7 in	1986 1	61.8 in	1932	1	7.88	in 1953	1	0.00	in 1960
2 74.6 in	2015 2	62.0 in	1930	2	7.34	in 1988		0.00	in 1931
3 74.3 in	1948 3	62.1 in	1917	3	6.75	in 2014		0.00	in 1905
4 73.9 in	1946 4	62.4 in	1933	4	6.46	in 1963	4	0.01	in 2007
5 72.7 in	1985 5	62.6 in	1904	5	5.90	in 1918	5	0.05	in 2012
6 72.5 in	1896 6	62.9 in	1912	6	5.56	in 1971	6	0.10	in 1928
7 72.3 in	1994 7	63.1 in	2014	7	4.63	in 1980		0.10	in 1924
72.3 in	1958 8	63.3 in	1962	8	4.52	in 1987	8	0.13	in 1940
9 71.7 in	1978	63.3 in	1949	9	4.41	in 1947	9	0.15	in 2017
10 71.2 in	2018 10	63.4 in	1926	10	4.07	in 1997		0.15	in 1978
				58	1.37	in 2018	63	1.37	in 2018

Normal Temperature for November at PLCF1 = 68.2° Normal Rainfall for November at PLCF1 = 1.83 inches

Warı	mest Autumns	Coolest A	Autumns	Wet	test Aut	umns	Drie	st Aut	tumns
1	78.4 in 2018	1 70.4	in 1930	1	25.05 i	n 1947	1	1.89 j	in 1909
2	77.9 in 1986	2 70.8	in 1932	2	23.20 i	n 1894	2	1.99 j	in 1961
3	77.4 in 2015	3 71.2	in 1940	3	23.04 i	n 1988	3	3.56 j	in 1940
4	77.2 in 1985	4 71.5	in 2000	4	21.72 i	n 1953	4	4.08 j	in 1991
5	76.5 in 1946	5 71.6	in 1976	5	20.36 i	n 2014	5	4.29 j	in 1927
6	76.0 in 2016	6 71.7	in 1943	6	20.15 i	n 2004	6	4.41 j	in 1990
7	75.9 in 1948	7 72.0	in 1937	7	20.06 i	n 1998	7	4.55 j	in 2010
	75.9 in 1911	72.0	in 1909	8	19.92 i	n 1959	8	4.57 j	in 1939
9	75.8 in 2007	9 72.2	in 1968	9	19.76 i	n 1912	9	4.63 j	in 1967
	75.8 in 1959	10 72.4	in 1926	10	18.24 i	n 1960	10	4.67 j	in 2008
							• • •		
				97	7.20 i	n 2018	19	7.20 i	in 2018

Normal Temperature for Autumn at PLCF1 = 74.5° Normal Rainfall for Autumn at PLCF1 = 11.28 inches

LAKELAND AREA (records began in January 1915):

War	mest Novembers	Cool	lest Novembers	Wet	test Novembers	Dr	iest Novembers
1	76.9 in 1986	1	62.6 in 1970	1	7.56 in 2014	1	0.00 in 1924
2	75.4 in 2015	2	62.9 in 1962	2	7.19 in 1988	2	Trace in 2016
3	73.4 in 1985	3	63.0 in 1969	3	6.08 in 1987		Trace in 1960
4	73.3 in 1994	4	63.4 in 1949	4	5.94 in 1941		Trace in 1917
	73.3 in 1948	5	63.5 in 1976	5	5.71 in 1963	5	0.03 in 1931
6	73.1 in 1946		63.5 in 1951	6	5.54 in 1980	6	0.05 in 1928
7	71.6 in 2003		63.5 in 1950	7	5.37 in 1953	7	0.07 in 1950
	71.6 in 1958	8	63.7 in 1968	8	4.59 in 2018	8	0.08 in 2012
9	71.5 in 1998	9	63.9 in 2008	9	4.48 in 1997	9	0.10 in 1991
10	71.3 in 1988	10	64.0 in 1923	10	4.41 in 1994	10	0.11 in 1940
	71.3 in 1978						
12	71.2 in 1992						
13	70.9 in 1982						
14	70.8 in 2018						
	in 1929						

Normal Temperature for November at LLDF1 = 68.2° Normal Rainfall for November at LLDF1 = 2.30 inches

Warı	mest Autur	mns	Coo	lest A	Autı	ımns	Wet	test A	Autı	umns	Dr	iest Au	ıtur	nns
1	79.2 in 1	1986	1	71.5	in	1976	1	22.45	in	2014	1	2.99	in	1961
2	78.3 in 2	2015	2	72.1	in	1943	2	21.46	in	2004	2	3.21	in	1940
3	78.1 in 1	1985	3	72.2	in	1923	3	19.78	in	1947	3	3.83	in	1995
4	78.0 in 2	2018	4	72.3	in	2006	4	19.52	in	1918	4	4.16	in	1942
5	77.0 in 1	1994		72.3	in	1968	5	18.47	in	1998	5	4.25	in	1927
6	76.8 in 2	2009		72.3	in	1956	6	18.39	in	1929	6	4.29	in	1934
7	76.7 in 1	1990	7	72.4	in	1967	7	18.29	in	1953	7	4.58	in	2010
8	76.6 in 2	2017	8	72.5	in	1940	8	17.36	in	1997	8	4.69	in	2008
9	76.4 in 3	1998	9	72.6	in	1954	9	17.09	in	1989	9	5.01	in	1967
	76.4 in 1	1993	10	72.7	in	1962	10	17.06	in	1982	10	5.12	in	1978
	76.4 in 3	1941		72.7	in	1953		17.06	in	1979				
				72.7	in	1924								
							57	10.03	in	2018	48	10.03	in	2018

Normal Temperature for Autumn at LLDF1 = 74.5° Normal Rainfall for Autumn at LLDF1 = 12.62 inches

Contact: Paul Close, Paul.Close@noaa.gov

WINTER HAVEN AREA (records began in January 1941):

Warmest Novembers		Coolest N	lovembers	Wet	test N	lovembers	Dri	iest No	vembers
1	76.8 in 1986	1 63.1	in 1962	1	7.81	in 1988	1	0.00	in 1960
2	75.6 in 1948	2 63.2	in 1970	2	7.13	in 1987		0.00	in 1950
3	75.1 in 2015	3 63.9	in 2008	3	6.76	in 1953	3	Trace	in 2011
4	74.9 in 1985	63.9	in 1968	4	6.27	in 1963	4	0.01	in 2012
5	74.5 in 1946	5 64.1	in 1976	5	5.32	in 1994	5	0.07	in 2016
6	73.1 in 1994	6 64.5	in 1949	6	5.21	in 1980	6	0.13	in 1966
7	72.6 in 1988	7 64.6	in 1969	7	4.94	in 1951	7	0.16	in 1942
8	72.4 in 1958	8 64.7	in 1981	8	4.07	in 1995	8	0.19	in 1985
9	72.2 in 1998	9 64.9	in 1950	9	3.97	in 1968	9	0.20	in 2017
10	71.9 in 2018	10 65.0	in 2012	10	3.88	in 2014		0.20	in 1991
	71.9 in 1973	65.0	in 1951					0.20	in 1967
								•	
				38	1.14	in 2018	36	1.14	in 2018

Normal Temperature for November at GIF = 69.0° Normal Rainfall for November at GIF = 2.11 inches

Warı	mest Autumns	Cool	lest Autumns	Wet	test Au	itumns	Drie	est Au	utumns
1	79.1 in 2018	1	71.8 in 1976	1	21.86	in 1987	1	2.72	in 1961
2	79.0 in 1986	2	72.2 in 1968	2	20.61	in 1947	2	3.11	in 2009
3	78.4 in 1985	3	72.5 in 1962	3	20.57	in 1953	3	4.27	in 1967
4	78.0 in 2015	4	73.0 in 1963	4	20.35	in 1960	4	4.29	in 2008
5	77.2 in 1998	5	73.2 in 2006	5	18.82	in 1959	5	4.91	in 1985
	77.2 in 1989	6	73.3 in 2008	6	18.11	in 1950	6	5.14	in 1942
	77.2 in 1946		73.3 in 1981	7	17.84	in 2014	7	5.44	in 1978
	77.2 in 1941		73.3 in 1953	8	17.59	in 2001	8	5.54	in 2006
9	76.8 in 2009	9	73.4 in 1943	9	17.16	in 1988	9	5.78	in 1990
10	76.6 in 1994	10	73.5 in 2000	10	15.63	in 1948	10	5.87	in 2015
				54	7.57	in 2018	17	7.57	in 2018

Normal Temperature for Autumn at GIF = 75.4° Normal Rainfall for Autumn at GIF = 11.16 inches

BARTOW (records began in June 1892):

War	mest Novembe	rs Coo	lest Nov	embers	Wett	test N	ovembers	Drie	est No	vembers
1	76.4 in 198	6 1	60.9 in	1917	1	7.40	in 1987	1	0.00	in 2016
2	75.3 in 201	5 2	61.5 in	1970	2	7.36	in 2002		0.00	in 1960
3	74.5 in 194	3	62.0 in	1910	3	6.52	in 1963	3	0.02	in 1931
4	73.6 in 201	3 4	62.3 in	1901	4	6.33	in 1988	4	0.04	in 1966
	73.6 in 198	5 5	62.6 in	1904	5	5.97	in 1953		0.04	in 1928
6	73.5 in 194	6	62.6 in	1892	6	5.80	in 1951	6	0.05	in 2012
7	73.0 in 199	4 7	62.9 in	1962	7	4.75	in 1911	7	0.06	in 1950
8	72.9 in 195	8 8	63.5 in	2008	8	4.71	in 1937	8	0.09	in 1923
9	72.5 in 199	8	63.5 in	1912	9	4.68	in 2015	9	0.10	in 2007
10	72.3 in 200	3 10	63.6 in	1939	10	4.54	in 1983		0.10	in 1974
25	70.0 in 201	8 72	70.0 in	2018	56	1.69	in 2018	72	1.69	in 2018
	in 200	9	in	2009						

Normal Temperature for November at BARF1 = 69.2° Normal Rainfall for November at BARF1 = 1.94 inches

War	mest Autumns	Coc	elest Autumns	Wet	test Autumns	Dri	est Autumns
1	77.8 in 2015	1	71.0 in 1894	1	26.99 in 1894	1	3.71 in 1942
2	77.2 in 1998	2	71.1 in 1892	2	21.30 in 1947	2	4.88 in 2010
3	77.1 in 2018	3	71.4 in 1917	3	20.97 in 1917	3	5.00 in 1940
4	76.9 in 2009	4	71.8 in 1976	4	20.77 in 1922	4	5.02 in 1990
5	76.8 in 1946	5	72.1 in 1895	5	20.38 in 1959	5	5.25 in 1961
	76.8 in 1919	6	72.3 in 1914	6	20.31 in 1982	6	5.26 in 1939
7	76.5 in 1958	7	72.4 in 1970	7	19.77 in 1953	7	5.29 in 1984
8	76.4 in 1994	8	72.5 in 1904	8	19.43 in 1902	8	5.47 in 1974
9	76.2 in 1990	9	72.8 in 1967	9	19.30 in 1960	9	5.57 in 1906
10	76.1 in 1960		72.8 in 1963	10	18.97 in 2004	10	5.90 in 1927
			72.8 in 1935			11	6.02 in 2018

Normal Temperature for Autumn at BARF1 = 75.5° Normal Rainfall for Autumn at BARF1 = 11.40 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

War	mest Novembers	Coolest	Novembers	Wet	test Nove	embers	Dri	iest No	vem	nbers
1	76.1 in 1986	1 63.2	in 1917	1	9.40 in	1997	1	0.00	in	1931
2	75.4 in 2015	2 63.5	in 1949	2	6.81 in	1920	2	Trace	in	1940
3	73.2 in 1948	63.5	in 1923	3	6.24 in	1925		Trace	in	1928
4	73.1 in 1958	4 64.2	in 1976	4	5.68 in	1953	4	0.02	in	2016
5	72.7 in 1994	5 64.5	in 2008	5	5.18 in	1941	5	0.06	in	2001
6	72.4 in 1985	6 64.6	in 1981	6	5.15 in	1988		0.06	in	1991
7	72.2 in 2013	64.6	in 2014	7	4.94 in	1918	7	0.09	in	1930
8	72.1 in 1998	8 64.7	in 1968	8	4.69 in	2002	8	0.16	in	2007
	72.1 in 1946	9 64.8	in 1933	9	4.55 in	1972	9	0.20	in	1945
10	71.9 in 2016	10 65.0	in 1962	10	4.43 in	1983	10	0.21	in	1978
11	71.8 in 2018							0.21	in	1950
				49	1.62 in	2018	58	1.62	in	2018
					in	1935			in	1935

Normal Temperature for November at SRQ = 69.2° Normal Rainfall for November at SRQ = 1.93 inches

Warmest Autumns		Cooles	olest Autumns		test Au	ıtumns	Driest Autumns			
1	78.3 in 2016	1 71	L.3 in 1976	1	28.46	in 1953	1	3.64 ir	n 2010	
2	78.2 in 1986	2 72	2.2 in 1930	2	25.64	in 1962	2	4.01 ir	n 1991	
3	78.0 in 2015	3 72	2.3 in 1943	3	23.66	in 1922	3	5.08 ir	n 1942	
4	77.8 in 2018	4 72	2.5 in 1940	4	23.12	in 1997	4	5.44 ir	n 1974	
5	77.3 in 2007	5 72	2.7 in 1923	5	22.26	in 1912	5	5.61 ir	n 2012	
6	77.1 in 1998	6 73	3.0 in 1981	6	22.01	in 1952	6	5.95 ir	n 1945	
	77.1 in 1990	73	3.0 in 1944	7	21.30	in 1988	7	6.05 ir	n 1944	
8	77.0 in 2013	73	3.0 in 1937	8	20.43	in 1928	8	6.27 ir	n 1984	
9	76.9 in 1985	9 73	3.1 in 1968	9	20.29	in 1957	9	6.42 ir	n 1930	
10	76.8 in 2005	73	3.1 in 1956	10	19.80	in 1960	10	6.43 ir	n 1961	
					0 07			0 07 :	0010	
				76	8.87	in 2018	33	8.87 ir	1 2018	

Normal Temperature for Autumn at SRQ = 75.6° Normal Rainfall for Autumn at SRQ = 12.15 inches

VENICE (records began in April 1955):

War	mest Novembers	Coolest Nov	vembers	Wett	test Nov	vembers	Drie	est No	vembers
1	75.8 in 2015	1 64.2 ir	n 2008	1	7.65 ir	ı 1997	1	0.00	in 1991
2	74.1 in 1985	2 64.7 ir	n 1962	2	5.85 ir	n 1972	2	0.02	in 2007
3	73.6 in 1998	3 64.9 ir	n 1981	3	5.56 ir	n 1983	3	0.04	in 2001
	73.6 in 1994	64.9 ir	n 1970	4	5.55 ir	n 1963	4	0.06	in 2016
5	72.5 in 2013	5 65.1 ir	n 1956	5	4.77 ir	n 1957	5	0.15	in 1960
6	72.3 in 2003	6 65.2 ir	n 1976	6	4.46 ir	1980	6	0.20	in 1993
7	72.2 in 1978	7 65.4 ir	n 1968	7	4.14 ir	1998	7	0.30	in 1956
8	71.9 in 2011	8 65.8 ir	n 2014	8	3.77 ir	1968	8	0.31	in 1978
	71.9 in 1982	9 66.0 ir	n 1969	9	3.72 ir	2014	9	0.32	in 2012
10	71.8 in 2009	10 66.8 ir	n 1966	10	3.47 ir	1988		0.32	in 2003
	71.8 in 1973								
12	71.4 in 2012			40	0.93 ir	2018	25	0.93	in 2018
13	71.2 in 2018								
	in 2001								

Normal Temperature for November at $VNCF1 = 69.3^{\circ}$ Normal Rainfall for November at VNCF1 = 1.80 inches

Warmest Autumns		ns Coo	olest Autumns	Wet	test Autumns	Drie	Driest Autumns				
1	78.9 in 20	009 1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961				
2	78.5 in 19	998 2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981				
3	78.4 in 20	015 3	72.8 in 2008	3	21.38 in 1997	3	5.24 in 1978				
4	77.8 in 20	018	72.8 in 1956	4	20.89 in 1960	4	5.81 in 2010				
	77.8 in 20	013 5	73.6 in 1974	5	20.27 in 1968	5	6.18 in 1964				
	77.8 in 19	985 6	73.7 in 1987	6	19.23 in 1959	6	6.59 in 1984				
7	77.6 in 20	010	73.7 in 1981	7	18.86 in 1982	7	7.16 in 1990				
8	77.3 in 19	994	73.7 in 1962	8	18.67 in 2014	8	7.38 in 2011				
9	77.0 in 20	017 9	73.9 in 1977	9	18.33 in 1957	9	7.81 in 1965				
	77.0 in 20	011 10	74.0 in 2006	10	18.29 in 1962	10	8.06 in 2016				
	77.0 in 20	003				11	8.28 in 2009				
						12	8.61 in 2018				

Normal Temperature for Autumn at $VNCF1 = 75.3^{\circ}$ Normal Rainfall for Autumn at VNCF1 = 12.30 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Warmest Novembers		s Coo	olest Nove	embers	Wet	ttest 1	Nove	mbers	Drie	est No	oven	mbers
1	75.8 in 2015	1	62.1 in	1962	1	10.19	in	1997	1	0.00	in	2001
2	75.6 in 1986	2	62.4 in	1969	2	5.13	in	1953	2	0.02	in	1950
3	73.4 in 1998	3	62.8 in	1970	3	5.04	in	1947	3	0.03	in	1991
4	73.2 in 1985	4	63.2 in	1968	4	5.01	in	1972	4	0.07	in	2016
5	72.7 in 1958	5	64.1 in	2008	5	4.87	in	1981	5	0.19	in	2012
6	72.3 in 1982	6	65.3 in	2000	6	4.73	in	1958	6	0.20	in	1944
7	72.1 in 2013	7	65.4 in	2012	7	4.52	in	1963	7	0.30	in	1996
	72.1 in 1978		65.4 in	1963	8	4.45	in	2002		0.30	in	1993
9	71.6 in 2003	9	65.8 in	1976	9	4.42	in	1983		0.30	in	1965
10	71.5 in 1991	10	65.9 in	2002	10	4.22	in	2014	10	0.37	in	1945
11	71.0 in 2005											
	71.0 in 1988				28	2.20	in	2018	47	2.20	in	2018
13	70.7 in 2018											

Normal Temperature for November at MKCF1 = 69.1° Normal Rainfall for November at MKCF1 = 2.15 inches

Warmest Autumns		Со	Coolest Autumns			Wettest Autumns				Driest Autumns				
1	78.5 in 201	5 1	71.7 in	1962	1	25.70	in	1962	1	4.57	in	1961		
2	78.3 in 199	8 2	72.6 in	1968	2	23.65	in	1997	2	5.85	in	1974		
3	78.0 in 201	8 3	72.7 in	1976	3	23.43	in	1979	3	6.14	in	1991		
4	77.9 in 198	6 4	72.8 in	1963	4	21.95	in	2014	4	6.52	in	2008		
5	77.8 in 198	5 5	73.4 in	1970	5	21.67	in	1995	5	7.52	in	1970		
6	77.7 in 199	1	73.4 in	1969	6	21.13	in	1953	6	7.57	in	1955		
7	76.8 in 200	9 7	73.5 in	2008	7	20.63	in	1957	7	8.07	in	2012		
	76.8 in 199	0 8	73.7 in	2000	8	20.18	in	2001	8	8.67	in	1950		
9	76.7 in 201	3 9	73.8 in	1992	9	19.62	in	1952	9	8.75	in	1996		
10	76.6 in 199	3 10	73.9 in	1987	10	19.59	in	1994	10	8.84	in	2011		
										•				
					21	16.67	in	2018	53	16.67	in	2018		

Normal Temperature for Autumn at MKCF1 = 75.3° Normal Rainfall for Autumn at MKCF1 = 13.33 inches

WAUCHULA 2 N (records began in January 1933):

Warr	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1 2 3 4 5	75.7 in 1986 74.6 in 2015 74.4 in 1948 73.2 in 1946 72.7 in 1985	1 61.9 in 2012 2 62.5 in 2014 62.5 in 1949 4 63.2 in 1962 5 63.4 in 1970	1 11.18 in 1987 2 10.38 in 1997 3 6.43 in 1953 4 5.89 in 1963 5 4.75 in 1972	1 0.02 in 1940 2 0.03 in 1967 3 0.08 in 1960 4 0.12 in 1991 5 0.16 in 1974
6	72.7 in 1965 72.4 in 1958	6 63.5 in 1956	6 4.41 in 2002	6 0.17 in 2016
7	71.7 in 1988	7 63.8 in 2000	7 4.37 in 2014	7 0.19 in 2012
8	71.4 in 1978	8 63.9 in 1969	8 3.93 in 2010	8 0.23 in 1944
	71.4 in 1973	9 64.0 in 1950	9 3.91 in 1937	9 0.24 in 1966
10	71.1 in 1998	10 64.4 in 1954	10 3.44 in 1988	0.24 in 1956
	71.1 in 1947		11 3.42 in 2018	
	70 1 :- 2010			
20	70.1 in 2018 in 1972	62 70.1 in 2018 in 1972		

Normal Temperature for November at WAUF1 = 69.5° Normal Rainfall for November at WAUF1 = 2.14 inches

Warmest Autumns		ns Coo	Coolest Autumns			Wettest Autumns				Driest Autumns			
1	78.1 in 20	009 1	71.6 in	2014	1	27.02	in	1953	1	2.12	in	1961	
2	77.9 in 20	007 2	71.7 in	2012	2	23.48	in	1947	2	3.84	in	1974	
3	77.7 in 19	985 3	72.0 in	1956	3	20.13	in	1975	3	4.75	in	1967	
4	77.5 in 20	015 4	72.1 in	1943	4	20.12	in	1952	4	4.92	in	2008	
5	77.2 in 1	941 5	72.2 in	1954	5	19.04	in	1987	5	5.10	in	1978	
6	76.9 in 20	018 6	72.5 in	2010	6	19.02	in	1960	6	5.80	in	1991	
7	76.3 in 1	946	72.5 in	2006	7	19.00	in	1997	7	6.09	in	1976	
8	76.2 in 19	989	72.5 in	1953	8	18.33	in	2017	8	6.10	in	1944	
9	76.1 in 1	990	72.5 in	1944	9	16.90	in	1938	9	6.32	in	1980	
	76.1 in 1	936 10	72.6 in	1976	10	16.88	in	1969	10	6.58	in	2003	
					53	9.30	in	2018	29	9.30	in	2018	

Normal Temperature for Autumn at WAUF1 = 76.1° Normal Rainfall for Autumn at WAUF1 = 10.87 inches

Date: 12/03/2018

ARCADIA (records began in January 1899):

Warr	mest Novembers	Coolest	t Novembe	rs Wette	est Nove	embers D	riest No	ovembers
1	74.9 in 1986	1 62	.1 in 190	1 1	6.69 in	1997	1 Trace	in 1996
2	74.7 in 2015	2 62	.2 in 200	8 2 5	5.67 in	1947	Trace	in 1940
3	74.2 in 1948	3 62	.6 in 197	0 3 5	5.11 in	1987	Trace	in 1928
4	73.3 in 1958	4 62	.7 in 191	0 4 5	5.08 in	2002	4 0.01	in 1931
	73.3 in 1946	5 62	.8 in 192	3 5 4	4.95 in	1980	5 0.04	in 1950
6	72.7 in 1919	6 63	.3 in 193	3 6 4	4.82 in	1992	6 0.05	in 2016
7	72.2 in 1902	7 63	.4 in 194	9	4.82 in	1962	7 0.06	in 2008
8	72.0 in 1911	8 63.	.7 in 201	4 8 4	4.53 in	2014	8 0.09	in 2007
9	71.9 in 1990	9 63	.8 in 201	2 9 4	4.43 in	1951	9 0.10	in 1991
10	71.6 in 1985	63.	.8 in 196	2 10	4.01 in	1968	0.10	in 1960
						•		
21	70.4 in 2018	87 70	.4 in 201	8 24 2	2.68 in	2018 9	0 2.68	in 2018

Normal Temperature for November at ARCF1 = 68.1° Normal Rainfall for November at ARCF1 = 1.94 inches

Warmest Autumns		Coo	Coolest Autumns		test Aı	Dri	Driest Autumns			
1 7	78.0 in 1919	1	71.6 in 1923	1	24.53	in 195	52 1	3.03	in	1961
2 7	77.4 in 1911	2	71.7 in 1976	2	22.94	in 195	53 2	4.14	in	1909
3 7	77.2 in 2015		71.7 in 1910	3	22.83	in 190)8 3	4.68	in	1901
7	77.2 in 1986	4	71.8 in 2008	4	20.84	in 194	17 4	4.77	in	1946
7	77.2 in 1902	5	72.2 in 1968	5	20.79	in 190	50 5	5.62	in	1925
6 7	76.9 in 2018	6	72.5 in 1943	6	20.17	in 190	62	5.89	in	1942
7 7	76.6 in 1946	7	72.6 in 1970	7	19.95	in 193	LO 7	5.97	in	1913
8 7	76.4 in 1998		72.6 in 1969	8	18.88	in 195	59 8	5.98	in	1974
7	76.4 in 1948	9	72.7 in 1990	9	18.83	in 201	L7 9	5.99	in	1955
7	76.4 in 1941		72.7 in 1962	10	18.62	in 19	59 10	6.00	in	2008
				87	8.11	in 20:	L8 20	8.11	in	2018

Normal Temperature for Autumn at ARCF1 = 74.4° Normal Rainfall for Autumn at ARCF1 = 11.81 inches

ARCHBOLD BIO STN (records began in January 1969):

Warı	mest Novembers	Cool	lest Novembers	Wet	test Novembers	Dri	est Novembers
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	72.4 in 1992	3	63.2 in 1970	3	4.52 in 2002	3	0.08 in 1986
4	71.7 in 1985	4	64.2 in 1969	4	4.46 in 1997	4	0.12 in 1970
5	71.6 in 1994	5	64.4 in 1981	5	4.37 in 1992	5	0.13 in 1975
6	71.3 in 1978	6	65.1 in 2014	6	4.17 in 1977	6	0.20 in 1996
	71.3 in 1973	7	65.3 in 2006	7	4.16 in 1994	7	0.21 in 2012
8	71.2 in 2013	8	65.4 in 2000	8	3.80 in 1988	8	0.24 in 2000
9	70.6 in 2017	9	66.0 in 1991	9	3.78 in 2005	9	0.29 in 1973
	70.6 in 2003	10	66.3 in 1997	10	3.52 in 1972	10	0.40 in 2006
	70.6 in 1988						
12	70.4 in 2018			21	1.58 in 2018	30	1.58 in 2018

Normal Temperature for November at ACHF1 = 68.1° Normal Rainfall for November at ACHF1 = 1.98 inches

War	Warmest Autumns		Coolest Autumns			Wettest Autumns				Driest Autumns			
1	78.2 in 20	015 1	71.6 in	2008	1	22.87	in 2	2017	1	4.62	in	1996	
2	77.4 in 19	986 2	72.5 in	2012	2	22.49	in 1	.987	2	4.86	in	1990	
3	76.6 in 20	018 3	72.7 in	2006	3	20.74	in 1	969	3	5.52	in	2006	
4	76.3 in 19	985 4	72.7 in	2000	4	18.09	in 2	014	4	5.96	in	1974	
5	76.2 in 20	017	72.7 in	1976	5	17.33	in 1	.977	5	6.01	in	2018	
6	75.8 in 20	016 6	72.8 in	1997	6	17.04	in 2	2001	6	6.16	in	2010	
	75.8 in 1	973 7	73.0 in	1981	7	16.79	in 1	.998	7	6.27	in	2008	
8	75.7 in 20	009 8	73.1 in	1970	8	16.55	in 2	016	8	6.53	in	1980	
9	75.6 in 19	990 9	73.2 in	2014	9	16.32	in 2	2005	9	7.16	in	1984	
10	75.5 in 20	007	73.2 in	1984	10	16.23	in 2	2004	10	7.36	in	2007	
	75.5 in 19	998											

Normal Temperature for Autumn at ACHF1 = 74.1° Normal Rainfall for Autumn at ACHF1 = 11.62 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Novembers		Coo	Coolest Novembers		Wett	test No	ovembers	Driest Novembers			
1	78.3 in 1948	1	63.9 in	1917	1	5.97 i	n 1916	1	0.00	in 1931	
2	76.8 in 1986	2	64.2 in	1970	2	5.52 i	n 2002	2	0.02	in 2012	
3	76.4 in 2015		64.2 in	1968	3	5.07 i	n 1987	3	0.05	in 2016	
4	75.9 in 1946	4	65.1 in	2008	4	4.60 i	n 2014		0.05	in 1990	
5	74.2 in 1985	5	65.7 in	1969	5	4.54 i	n 1968	5	0.07	in 2007	
6	74.1 in 1958	6	65.8 in	1966	6	4.40 i	n 1972	6	0.08	in 1940	
7	73.8 in 1961	7	66.1 in	1976	7	4.31 i	n 1921	7	0.09	in 1993	
8	73.6 in 1947		66.1 in	1923	8	4.16 i	n 1951	8	0.10	in 1929	
9	73.2 in 2003	9	67.0 in	2012	9	3.92 i	n 1998	9	0.11	in 1973	
10	73.0 in 1960		67.0 in	1939	10	3.91 i	n 1938	10	0.12	in 1924	
			67.0 in	1914							
23	71.5 in 2018	80	71.5 in	2018	39	1.91 i	n 2018	65	1.91	in 2018	

Normal Temperature for November at PGD = 69.9° Normal Rainfall for November at PGD = 2.01 inches

Warmest Autumns		Cool	olest Autumns		Wet	Wettest Autumns				Driest Autumns				
1	79.6 in 1	1948	1	72.4	in	1917	1	31.25	in	1959	1	5.37	in	2008
2	79.4 in 1	1986	2	73.0	in	1976	2	24.61	in	1922	2	5.75	in	1961
3	79.1 in 1	1946		73.0	in	1968	3	23.01	in	1962	3	5.87	in	1974
4	78.7 in 2	2018	4	73.5	in	1923	4	21.28	in	1953	4	5.91	in	1927
	78.7 in 1	1985	5	73.7	in	1930	5	20.82	in	1995	5	5.95	in	1973
6	78.1 in 2	2015	6	73.8	in	1914	6	20.64	in	1947	6	6.00	in	1931
	78.1 in 1	1947	7	73.9	in	1943	7	20.39	in	1924	7	6.22	in	1991
8	77.9 in 1	1960		73.9	in	1940	8	18.72	in	1929	8	6.33	in	1970
	77.9 in 1	1951	9	74.0	in	1970	9	18.66	in	1951	9	6.62	in	1978
10	77.7 in 3	1961	10	74.1	in	2008	10	18.54	in	1945	10	6.82	in	1920
				74.1	in	1969								
				74.1	in	1966	51	12.09	in	2018	51	12.09	in	2018

Normal Temperature for Autumn at PGD = 76.2° Normal Rainfall for Autumn at PGD = 12.39 inches

Date: 12/03/2018

FORT MYERS AREA (records began in January 1902):

Warmest Novembers		Coolest	Novembers	Wet	test Nove	embers	Driest Novembers				
1	78.3 in 1986	1 64.7	in 1917	1	8.06 in	1987	1	Trace	in 2016		
2	76.7 in 2015	2 64.9	in 1910	2	7.58 in	1998		Trace	in 2000		
3	75.6 in 1985	3 65.4	in 1956	3	5.67 in	2002		Trace	in 1944		
	75.6 in 1948	4 65.7	in 1949	4	4.60 in	1921	4	0.01	in 1990		
5	75.4 in 1994	5 65.9	in 1923	5	4.47 in	2014	5	0.02	in 1950		
6	75.0 in 1946	6 66.1	in 1962	6	4.11 in	1997	6	0.03	in 1945		
7	74.2 in 1978	7 66.2	in 1969	7	3.85 in	1972	7	0.04	in 1978		
8	74.0 in 2017	8 66.3	in 1903	8	3.75 in	2005	8	0.06	in 1905		
	74.0 in 1988	9 66.6	in 1950	9	3.71 in	1922	9	0.08	in 1942		
10	73.9 in 1992	10 66.7	in 1976	10	3.66 in	1983	10	0.09	in 2008		
		66.7	in 1970					0.09	in 2007		
17	73.1 in 2018							0.09	in 1931		
				44	1.50 in	2018	73	1.50	in 2018		

Normal Temperature for November at FMY = 71.7° Normal Rainfall for November at FMY = 1.96 inches

Warmest Autumns		Cool	Coolest Autumns			ttest 2	Dri	Driest Autumns			
1	80.4 in 198	6 1	72.5 in	1903	1	32.14	in 1922	1	5.16	in	1988
2	80.2 in 198	5 2	72.7 in	1910	2	27.85	in 1969	2	5.95	in	1942
3	79.1 in 201	5 3	72.9 in	1976	3	26.80	in 1924	3	5.96	in	1974
4	78.8 in 197	9 4	73.7 in	1908	4	23.34	in 1947	4	5.97	in	1907
5	78.7 in 199	4 5	73.8 in	1913	5	23.33	in 1953	5	6.11	in	1992
6	78.5 in 201	8 6	74.0 in	1923	6	22.99	in 1962	6	6.12	in	1906
	78.5 in 200	7 7	74.1 in	1953	7	21.74	in 1998	7	6.31	in	2004
	78.5 in 199	8 C	74.3 in	1909	8	21.44	in 1952	8	6.50	in	1966
9	78.3 in 198	9	74.4 in	1943	9	20.90	in 2011	9	6.67	in	1978
10	78.2 in 197	8	74.4 in	1914	10	20.85	in 1959	10	6.78	in	1904
								11	7.08	in	1961
								12	7.32	in	2018

Normal Temperature for Autumn at FMY = 77.3° Normal Rainfall for Autumn at FMY = 13.15 inches

For more local climate information, please visit our web page at http://weather.gov/tampabay and look within the "Climate and Past Weather" drop down menu above the map of the area.